




FIELD GUIDE · SKIN

How to start retinoids without irritating sensitive skin

For considered skincare users who want firmer tone and fewer breakouts without harsh side effects. After reading, they will be able to choose the right retinoid, build a gentle routine, and judge plant alternatives clearly.

- **Start small**
A pea sized amount on dry skin holds the whole routine.
- **Expect weeks**
Texture shifts in months while collagen needs longer.
- **Mind sun**
Daily sunscreen keeps sensitive retinoid skin steady.

By Shannon Brekke · Updated Jul 24, 2026 · 11 min read

CONTENTS

01	Know the four retinoids and how they differ	05	Understand pregnancy and breastfeeding cautions
02	Start low and build without irritation	06	What the evidence says about alternatives
03	Get through the adjustment period	07	The checklist
04	Handle sun exposure and daily protection	08	Sources and further reading

Most people reach for the strongest retinoid they can buy, then quit in week three when flaking and redness arrive. Skin steadies when the starting rung matches the goal and the pace stays slow, since conversion steps set both strength and irritation and daily sun care protects the result.

01

Know the four retinoids and how they differ

Skin responds to retinoic acid. Everything else in this family must either convert toward it or bind its receptors by another route, and that path decides how fast a formula acts and how harsh it can feel.

Retinol converts in two steps through retinaldehyde to retinoic acid. Clinical studies show 0.25 percent retinol produces measurable improvements in fine lines after 12 weeks, while 1 percent retinol approaches the efficacy of 0.025 percent tretinoin. Retinol binds non selectively to RAR alpha, RAR beta and RAR gamma after conversion, triggering cell turnover, collagen and elastin synthesis and inhibition of collagen degrading enzymes. Toral Vaidya, MD, dermatologist, puts the visible part simply: "On a cellular level, it works by promoting skin cells to turnover at a faster rate,"

Retinaldehyde sits one conversion step away from retinoic acid, so a lower concentration can go further than the same amount of retinol. A 1999 study in the Journal of the American Academy of Dermatology found 0.05 percent retinaldehyde produced comparable results to 0.05 percent tretinoin for photoaging with significantly less irritation. Retinaldehyde has direct antimicrobial properties against Cutibacterium acnes, which retinol lacks. Retinaldehyde is similarly gentle to retinol while stronger, with low irritation potential. For a beginner who wants smoothing with less burn, that middle rung often makes sense.

Tretinoin is retinoic acid itself, acts without conversion, and is prescription only in most countries. In photodamaged skin, tretinoin treatment produced an 80 percent increase in collagen I formation, compared with a 14 percent decrease under placebo cream. In a 44 week study of 355 people, retinoic acid triggered redness in 44 percent of users during the first four weeks, significantly more often than retinaldehyde. "since tretinoin binds to more skin receptors than adapalene, it could be considered 'stronger,'" said Carmen Castilla, MD, board-certified

dermatologist. In a 48 week double blind study of 99 photoaged patients, 0.1 percent and 0.025 percent tretinoin improved photoaging similarly but higher strength irritated more. Stronger is not always better here.

Adapalene is a synthetic molecule that binds retinoid receptors directly without being a vitamin A precursor. Adapalene selectively binds RAR beta and RAR gamma while largely sparing RAR alpha, which are concentrated in epidermis and sebaceous follicles. FDA approved 0.1 percent adapalene for over the counter sale in 2016, sold as Differin. Adapalene is available 0.1 percent over the counter and 0.3 percent by prescription, while tretinoin comes in wider concentrations including 0.025 percent, 0.05 percent and 0.1 percent. “Adapalene has been shown to improve skin texture and tone, and it can help with the reduction of fine lines and wrinkles due to its ability to stimulate collagen production and accelerate skin cell renewal,” said Jenny Liu, MD, board-certified dermatologist.

RETINOID	PATH TO ACTION	ACCESS AND PLACE
Retinyl palmitate	Requires three steps through retinol and retinaldehyde to reach retinoic acid	Mildest ester, slowest shift
Retinol	Converts in two steps through retinaldehyde to retinoic acid	Beginner friendly for tone and lines
Retinaldehyde	One step from retinoic acid, lower dose goes further	Middle rung, plus antimicrobial action
Tretinoin	Retinoic acid itself, no conversion	Prescription, strongest photoaging data
Adapalene	Synthetic, binds receptors directly	Acne rooted, photostable, OTC at 0.1 percent

Retinyl palmitate requires three steps through retinol and retinaldehyde to reach retinoic acid. It suits very reactive skin that wants a slow entry, with the understanding that change will be modest. At 0.3 percent gel, adapalene was non inferior to tretinoin 0.05 percent cream for photoaged skin over 24 weeks. A meta analysis of 5 randomized trials in 900 patients found adapalene 0.1 percent gel matched tretinoin 0.025 percent gel on acne with better tolerability. A 12 week randomized trial in 168 patients found adapalene 0.1 percent gel had comparable efficacy to tretinoin microsphere gel 0.1 percent with significantly better tolerability scores. Adapalene for aging shows measurable antiaging effects and collagen stimulation, though evidence is thinner and less dramatic than for tretinoin or retinol. For acne adapalene 0.1 percent matched tretinoin 0.025 percent with better tolerability, while no topical retinoid shows overall superiority across concentrations and formulations.

02

Start low and build without irritation

Starting guidance is a pea sized amount for the entire face, applied to completely dry skin two to three nights per week, then increased as tolerated. That small measure matters because excess cream does not speed renewal, it only widens the area of dryness. Wash, wait until skin feels fully dry, then dot the amount across forehead, cheeks and chin before smoothing outward.

Buffering softens the landing. A thin layer of moisturizer first, retinoid second, then another light layer if cheeks feel tight, lowers the peak without removing the effect. Areas around nostrils, mouth corners and under eyes absorb more and chap first, so most routines skip them at the start. Lips and eyelid margins stay out entirely unless a clinician advises otherwise.

Separation keeps the barrier intact. On retinoid nights, set aside scrubs, high strength acids and benzoyl peroxide in the same routine, since layering adds sting without adding benefit. A plain cleanser, moisturizer and the retinoid itself carry the night. Morning stays simple with rinse or gentle cleanse, moisturizer and sunscreen.

Patience sets the dose. If skin feels calm after two weeks at two nights per week, add a third night. After another settled fortnight, some people move toward alternate nights. Higher concentration comes much later, if needed at all, because the 0.025 percent and 0.1 percent tretinoin finding showed similar photoaging improvement with more irritation at higher strength.

FROM THE EDITORS

Think in rungs, not brands. Retinyl palmitate needs three conversions, retinol needs two, retinaldehyde needs one, tretinoin needs none, and adapalene takes a synthetic shortcut to the receptor.

03

Get through the adjustment period

Temporary purging and breakouts commonly occur during weeks 2 to 6 and most purging resolves by week 6 to 8. Faster turnover pushes clogged pores to the surface, so small whiteheads appear where congestion already lived. True irritation looks different, with spreading redness, burning or raw patches beyond usual acne zones.

Dryness and flaking often peak early. The 44 percent early redness figure with retinoic acid shows how common this phase is, not how damaged skin has become. Flakes tend to gather around the mouth and chin where movement and saliva already stress the barrier. Reducing to

one or two nights per week, adding buffering, and pausing exfoliants usually settles the surface within days.

Most people notice texture and tone changes after 8 to 12 weeks of consistent use, while collagen level change often takes six months or more. That gap explains why many routines fail at week five. Tone looks fresher before firmness shifts, and photographs in steady light show progress better than the mirror. Keep a note of frequency, amount and morning redness to separate normal adjustment from overuse.

Hold steady when purging is mild and fading by week eight. Step back when burning lasts into the next day, when makeup pills on rough patches, or when new red areas spread. A short pause of three to five nights, followed by a lower frequency, preserves progress better than pushing through. Clinician advice helps if breakouts feel cystic or if dryness cracks.

04

Handle sun exposure and daily protection

All retinoids make skin more sun sensitive, and most degrade in light, so daily sunscreen and reapplication matter. Thinner, faster turning surface cells burn more readily, even on cloudy days or through office windows. Adapalene is photostable and does not degrade in daylight, while tretinoin degrades in sunlight and is for night use only. That stability makes morning application possible for adapalene in theory, yet sensitivity remains, so sunscreen stays essential either way.

Night use protects both skin and formula. Tretinoin and retinol lose strength in sunlight, which is why evening routines carry the work. Apply after skin is dry, let the layer settle, and sleep on a clean pillowcase to reduce friction. Morning then focuses on repair and shield rather than treatment.

Daily SPF habits matter more than SPF numbers alone for retinoid users. A broad spectrum product worn every morning, reapplied through the day during outdoor time, supports the tone gains that retinoids slowly build. Hats, shade at midday and careful reapplication after sweat keep exposure steady. Field work, running and long commutes call for extra attention, since reflected light from soil, water and concrete reaches the face from below.

Watch the first spring after starting. Skin that tolerated winter retinoid use can flush quickly under stronger sun, which signals a need for more consistent reapplication rather than a stronger retinoid. If sunburn, peeling vacation skin or a planned long outdoor day arrives, pause the retinoid for a night or two and restore moisture first. Resume at the prior tolerated frequency once calm returns.

05

Understand pregnancy and breastfeeding cautions

Avoid all retinoids, prescription and over the counter, during pregnancy and while breastfeeding due to risk of birth defects, and consult a doctor about alternatives such as azelaic acid. That caution covers tretinoin and adapalene as well as retinol, retinaldehyde and retinyl palmitate in cosmetics. Plant derived does not mean pregnancy safe in this category, since the concern follows retinoid activity itself.

Timing adds care. Many people learn they are pregnant while using a retinoid, so stopping use and seeking medical advice is wiser than guessing at thresholds. Safety thresholds in pregnancy and breastfeeding beyond the general advice to avoid retinoids and seek medical advice remain unclear. Exact conversion rates of retinol to retinoic acid in individual skin also vary by person and formulation, which leaves no reliable low dose exception to assume.

A clinician visit works best with specifics. Bring the product name, concentration, frequency and how long it was used. Ask what to discuss for acne, melasma or texture during this season, such as azelaic acid where appropriate, and what to revisit later. Skin needs do not pause, yet the ingredient list should change under guidance.

FROM THE EDITORS

Pause retinoids when pregnancy is planned, present or breastfeeding, including over the counter retinol and adapalene. Stop use, save the label, and ask a clinician about options.

06

What the evidence says about alternatives

Interest in bakuchiol, peptides and other plant derived options grows from a fair question: can a gentler field sourced ingredient offer similar smoothing with less peeling. The short answer is cautious. Long term comparative results for bakuchiol, peptides and other plant derived alternatives versus retinoids for wrinkles, firmness and acne are not established. Best concentration, frequency and duration for sensitive skin, darker skin tones and combined pigment concerns also lack clear answers.

Bakuchiol comes from the babchi plant and is often framed as a plant alternative for tone and fine lines. Evidence for similar effects is thinner, without the depth of tretinoin collagen data or the acne comparisons behind adapalene. Tolerance may be kinder for some users, yet kinder does not mean equivalent. Anyone choosing it for pregnancy should still seek medical advice rather than assume safety from origin.

Peptides signal rather than convert. They may support the look of firmness through hydrating and barrier friendly formulas, but evidence suggests effects stay modest beside retinoid data on collagen I formation and photoaging. Plant oils and extracts can soften, steep skin in moisture and calm the look of redness, which helps retinoid users indirectly. Comfort supports consistency, and consistency drives results.

A practical way to weigh them is by goal. For comedonal acne with oily pores, adapalene carries the most direct evidence with better tolerability than matched tretinoin in trials. For photoaging with fine lines, tretinoin and retinol hold stronger histories, with retinaldehyde as a middle path that showed comparable photoaging results to tretinoin 0.05 percent with less irritation in one study. For those who cannot tolerate any retinoid, a peptide or bakuchiol moisturizer plus strict sunscreen offers a calm routine while expectations stay honest.

Origin stories enrich a formula but do not replace dose data. A greenhouse harvest, a careful infusion and a founder who chose the harder extract deserve respect, and that respect sits best beside clear labels and measured claims. Where evidence is mixed on gentleness, strength or aging benefit, treat the product as an experiment with a start date, a frequency and a review point at 12 weeks.

07

The checklist

-
- ☐ Choose one retinoid rung for one goal
 - ☐ Start with a pea sized amount only
 - ☐ Apply to completely dry skin at night
 - ☐ Begin two nights per week, then review
 - ☐ Buffer with moisturizer when tight
 - ☐ Skip nostrils, mouth corners and eyes
 - ☐ Separate acids and scrubs on retinoid nights
 - ☐ Wear daily sunscreen with reapplication
 - ☐ Expect purging in weeks 2 to 6
 - ☐ Judge tone at 8 to 12 weeks, firmness later
 - ☐ Pause all retinoids if pregnant or breastfeeding and seek advice
 - ☐ Compare alternatives by evidence, not origin
-

08

Sources and further reading

- Retinol vs. Retinal vs. Tretinoin vs. Adapalene: The Retinoid Strength Ladder · getskinbliss.com
- Adapalene vs Retinol — What’s the Difference and Which Should You Use? · northbiomedical.com
- The Major Differences Between Adapalene And Tretinoin, Per Dermatologists · womenshealthmag.com
- Retinoids Explained: Retinol vs Retinal vs Tretinoin · getevident.co
- Adapalene vs Tretinoin vs Retinol: How to Choose · perfectb.com
- Retinoids for Acne: Tretinoin, Adapalene & Everything You Need to Know · acnepath.com

For information only, not medical advice. Check with a qualified professional before using herbal remedies.



WRITTEN BY

Shannon Brekke

Shannon edits the news desk and the field guides at Rooting Moss. She keeps a running list of every plant extract that has appeared in a formula this year.
